



Legend

-  Fixture Modification
-  Assembly Adder


FACTORY INSTALLATION



**Intellect Wireless Sensor**

- Option V99(LV04)  
ZL07S-N00 - 0-10V
- ZL07S-N00 - Dali

Sensor



Control



Driver

0-10V w/Aux (Default)

DEXAL (Dali)  
*Option B41*

Philips SR (Dali)  
*Option B43*

0-10V w/Aux (Default)

DEXAL (Dali)  
*Option B41*

Philips SR (Dali)  
*Option B43*

0-10V w/Aux (Default)



DEXAL (Dali)  
*Option B41*

Philips SR (Dali)  
*Option B43*

Manufacturing



Modules





**Intellect Wireless Controller**

- Option V99(LV05)  
ZL070-B00 0-10V
- ZL0D0-B00 Dali

**Intellect Wireless Controller**

- Option V99(LV06)  
ZL070-N00 0-10V
- ZL0D0-N00 Dali

Legend

-  Fixture Modification
-  Assembly Adder



### Lutron Vive Wireless Integral Fixture Controller

- Option V99(L05) - RF (DFCSJ-OEM-RF)
- Option V99(L06) - Daylight with Occupancy (DFCSJ-OEM-OCC)

### Lutron Vive Wireless Integral Fixture Controller with EcoSystem


- Option V99(L05) - RF (DFCSJ-OEM-RF)
- Option V99(L06) - Daylight with Occupancy (DFCSJ-OEM-OCC)

### Athena Wireless Node RF Only

- Option V99(L09) - SENSOR (White)
- Option V99(L10) - SENSOR (Black)


### Athena Wireless Node RF Only

- Option V99(L07) - A-WN-D01-RF-WH
- Option V99(L08) - A-WN-D01-RF-BL




## STATIC WHITE DRIVERS

347V available, consult factory.



Hi-Lume 0.1%

Hi-Lume Premier EcoSystem  
0.1% w/ Soft-on, Fade-to-Black  
Option B40(DS-0.1)



Hi-Lume 1%



Hi-Lume 1% EcoSystem  
w/ Soft-on, Fade-to-Black  
Option B40(DS-1)



5-Series 5%

5-Series 5%  
EcoSystem  
Option B40(5)


Legend

-  Fixture Modification
-  Assembly Adder


FACTORY INSTALLATION




- JDRF Autonomy Sensor**
- Option V99(JD01) - Black
  - Option V99(JD02) - White





- Enlighted Micro Sensor**
- V99(E04) - SU-5E-CL



- Phillips EasySense Mount Sensor**
- Option V99(P02) - SNS211MC



Legend

-  Fixture Modification
-  Assembly Adder

FACTORY INSTALLATION

Sensor

Control

Driver

Manufacturing

Modules




Acuity nLight Dimming Device

- Option V99(A01) - n10-EZ-PH

Acuity nLight Dimming Device with EM Functionality

- Option V99(A02) - n10-EZ-PH-EM



## CASAMBI


Casambi Bluetooth Controller

- Option V99(C01) - CBU-ASR



EnergyCenter Zigbee Controller

- Option V99(AU01) - S830



EnergyCenter Zigbee MultiSensor

- Option V99(AU02) - S830-PL

